



simply reliable



Since 1907



Josts Introduces Skyjack, All Terrain Lift Trucks in India...

Quality and reliability are the hallmarks that have given Skyjack a solid reputation as the manufacturer of the best scissor lifts in the world. Skyjack products are manufactured, sold and supported worldwide. Currently, Skyjack has production facilities in Canada, USA and Hungary. Skyjack trucks are world renowned for product reliability and remains a dominant player who has adapted rapidly to the changing face of the industry.

Skyjack produces a full line of Aerial Work Platforms like Self Propelled Vertical Mast Lifts, DC Scissor Lifts (Self Propelled) and Self Propelled Rough Terrain Scissor Lifts with elevated work heights ranging from 5.6 mtrs to 17 mtrs, and capacities up to 900 kg.

Skyjack's Expanding Telescopic and Articulating Boom (Telescopic and Articulating Boom Lifts) product lineup currently consists of models with work heights ranging from 12 mts to 20 mts.

Jost's Engineering Company Ltd. is now distributing Skyjack 'All Terrain Lift Trucks' in India. The complete after Sales Support in India of Skyjack Trucks is provided by Jost's Sales and Service offices at Mumbai, Pune, Vadodara, Hyderabad, Chennai, Bengaluru, Kolkata and New Delhi.

Skyjack Products Range



Self Propelled Vertical
Mast Lifts



Self Propelled
Scissor Lifts



Self Propelled
Rough Terrain
Scissor Lifts



Telescopic Boom
Lifts



Articulating
Boom Lifts

Self Propelled Vertical Mast Lifts

Work height	: 5.5 m to 6.7 m
Raised platform height	: 3.6 m to 4.7 m
Gradeability	: 30%
Drive speed (stowed)	: 4 km/h
Drive speed (raised)	: 0.8 km/h
Capacity (overall)	: 227 kg
Maximum persons	: 2



DC Electric Scissor Lifts (Self Propelled)

Work height	: 6.57 m to 11.75 m
Raised platform height	: 4.57 m to 9.75 m
Gradeability	: 25% to 30%
Drive speed (stowed)	: 2.4 to 3.7 km/h
Drive speed (raised)	: 1.1 km/h
Capacity (overall)	: 227 to 454 kg
Maximum persons	: 2



Rough Terrain Scissor Lifts (Self Propelled)

Work height	: 9.8 m to 17 m
Raised platform height	: 7.9 m to 15 m
Gradeability	: 30% to 50%
Drive speed (stowed)	: 3.2 to 6.1 km/h
Drive speed (raised)	: 0.6 to 1 km/h
Capacity (overall)	: 450 to 1130 kg
Maximum persons	: 4 to 6 (depending on models)



Telescopic Boom Lifts

Work height	: 14 m to 21.9 m
Platform height	: 12 m to 20 m
Horizontal reach	: 10 m to 17 m
Rotation	: 360° continuous turret rotation
Platform rotation	: 170° to 180°
Gradeability	: 45% to 50%
Drive speed (stowed)	: 7.2 km/h
Drive speed (raised)	: 0.8 km/h
Capacity	: 220 kg to 295 kg
Maximum persons	: 2
Engine	: 48 hp & 65 hp Deutz diesel engine



Articulating Boom Lifts

Platform height	: 14 m to 19.3 m
Up & Over height	: 7.6 m to 8.3 m
Horizontal reach	: 7.7 m to 12 m
Rotation	: 360° continuous turret rotation
Platform rotation	: 175° to 180°
Gradeability	: 45%
Drive speed	: 7.3 to 7.7 km/h
Capacity	: 225 kg
Maximum persons	: 2
Engine	: 48 hp & 65 hp Deutz diesel engine



Special Attraction



2 Year Gold Leaf Protection Program

SKYJACK warrants that each new Aerial Work Platform ("AWP") will be free of defective parts and workmanship for two years (24 months) from the date the product invoiced to the purchaser or from the date the product first put into service, whichever comes first. For the following 36 months, structural components found to be defective will be replaced or repaired at no charge. For further clarity AWP Products include Scissor lifts and Boom Lifts.



SKYJACK™