

# KPT & SHAKTI Range of Tools & Many More . . .



#### **GD25 K1** 13mm General Duty Drill

|                     |     |  |     |
|---------------------|-----|--|-----|
| Drilling Capacity ø |     |  |     |
| In Aluminium        | mm  |  | 16  |
| In Wood             | mm  |  | 25  |
| In Steel            | mm  |  | 13  |
| No Load Speed       | rpm |  | 775 |
| Power Input         | W   |  | 475 |
| Net Weight          | kg  |  | 3.5 |



#### **GD25N** 13mm Pistol Drill

|                     |     |  |     |
|---------------------|-----|--|-----|
| Drilling Capacity ø |     |  |     |
| In Aluminium        | mm  |  | 16  |
| In Wood             | mm  |  | 25  |
| In Steel            | mm  |  | 13  |
| No Load Speed       | rpm |  | 850 |
| Power Input         | W   |  | 850 |
| Net Weight          | kg  |  | 3.4 |

New



#### **HD16 K1** 16mm Heavy Duty Drill

|                     |     |  |     |
|---------------------|-----|--|-----|
| Drilling Capacity ø |     |  |     |
| In Aluminium        | mm  |  | 20  |
| In Wood             | mm  |  | 40  |
| In Steel            | mm  |  | 16  |
| No Load Speed       | rpm |  | 800 |
| Power Input         | W   |  | 650 |
| Net Weight          | kg  |  | 3.7 |



#### **HD16N** 16mm Pistol Drill

|                     |     |  |     |
|---------------------|-----|--|-----|
| Drilling Capacity ø |     |  |     |
| In Aluminium        | mm  |  | 20  |
| In Wood             | mm  |  | 40  |
| In Steel            | mm  |  | 16  |
| No Load Speed       | rpm |  | 850 |
| Power Input         | W   |  | 850 |
| Net Weight          | kg  |  | 3.6 |

New



#### **HD1115MT K4** 23mm Heavy Duty Drill

|                     |     |  |      |
|---------------------|-----|--|------|
| Drilling Capacity ø | mm  |  | 23   |
| No Load Speed       | rpm |  | 500  |
| Power Input         | W   |  | 1100 |
| Net Weight          | kg  |  | 8.8  |



#### **KW10 K3** 31mm Heavy Duty Drill

|                     |     |  |      |
|---------------------|-----|--|------|
| Drilling Capacity ø | mm  |  | 31   |
| No Load Speed       | rpm |  | 350  |
| Power Input         | W   |  | 1100 |
| Net Weight          | kg  |  | 9.3  |





#### KDK13H 13 mm Impact Drill Kit

|               |     |         |
|---------------|-----|---------|
| Voltage       | V   | 230     |
| Frequency     | Hz  | 50      |
| No Load Speed | rpm | 0-3000  |
| Impact Rate   | bpm | 0-48000 |
| Power Input   | W   | 500     |
| Net Weight    | kg  | 1.6     |



#### KSD10 10mm Electric Screw Driver

|                     |     |       |
|---------------------|-----|-------|
| Voltage             | V   | 230   |
| Drilling Capacity ø |     |       |
| In Steel            | mm  | 10    |
| In Wood             | mm  | 25    |
| Frequency           | Hz  | 50    |
| Power Input         | W   | 350   |
| No Load Speed       | rpm | 0-750 |
| Net Weight          | kg  | 1.0   |



#### KPD10RE 10mm Plain Drill

|                     |     |        |
|---------------------|-----|--------|
| Voltage             | V   | 230    |
| Drilling Capacity ø |     |        |
| In Steel            | mm  | 10     |
| In Wood             | mm  | 20     |
| In Aluminium        | mm  | 13     |
| Frequency           | Hz  | 50     |
| Power Input         | W   | 550    |
| No Load Speed       | rpm | 0-3000 |
| Net Weight          | kg  | 1.3    |



#### KID10 10mm Impact Drill

|                     |     |        |
|---------------------|-----|--------|
| Voltage             | V   | 230    |
| Frequency           | Hz  | 50     |
| Drilling Capacity ø |     |        |
| In Concrete         | mm  | 10     |
| In Wood             | mm  | 19     |
| In Steel            | mm  | 8      |
| Power Input         | W   | 500    |
| Impact Rate         | bpm | 25700  |
| No Load Speed       | rpm | 0-2600 |
| Net Weight          | kg  | 1.7    |



Forward Reverse  
& Variable Speed



#### KID13 13mm Impact Drill

|                     |     |        |
|---------------------|-----|--------|
| Voltage             | V   | 230    |
| Frequency           | Hz  | 50     |
| Drilling Capacity ø |     |        |
| In Concrete         | mm  | 13     |
| In Wood             | mm  | 25     |
| In Steel            | mm  | 10     |
| Power Input         | W   | 600    |
| Impact Rate         | bpm | 25700  |
| No Load Speed       | rpm | 0-2600 |
| Net Weight          | kg  | 1.8    |



Forward Reverse  
& Variable Speed



### **KBRC42** Magnetic Drill Stand with Drilling / Broaching Machine

|                                                                                   |     |           |
|-----------------------------------------------------------------------------------|-----|-----------|
| Class of Tool                                                                     |     | Single    |
| Motor Power                                                                       | W   | 1100      |
| Magnetic Holding Force                                                            | N   | 11000     |
| Magnetic Base Foot Print                                                          | mm  | 235 X 165 |
| Capacity to Fit Core Drill ø                                                      | mm  | 42 Max    |
| Drilling Capacity ø                                                               | mm  | 23 Max    |
| Net Weight (approx.) Including Broaching cum Drilling Machine Suitable for HD1115 | kg  | 39        |
| Full Load Revolutions                                                             | rpm | 400       |
| Minimum Thickness of MS Plate need to use for resting on Base                     | mm  | 10        |
| Maximum Stroke                                                                    | mm  | 340       |
| Working Stroke                                                                    | mm  | 125       |



### **KBC50** Ø50mm Broach Cutter

|                   |     |      |
|-------------------|-----|------|
| Voltage           | V   | 230  |
| Frequency         | Hz  | 50   |
| Depth of Cut      | mm  | 60   |
| Broach Capacity   | mm  | Ø50  |
| Drilling Capacity | mm  | Ø16  |
| No Load Speed     | rpm | 450  |
| Power Input       | W   | 1100 |
| Net Weight        | kg  | 30   |



### **KMS-BRC K1** Magnetic Drill Stand & Drilling Machine

|                                              |     |         |
|----------------------------------------------|-----|---------|
| Motor Power                                  | W   | 1100    |
| Magnetic Holding Force                       | N   | 15000   |
| Capacity to Fit Core Drill ø                 | mm  | 62 max. |
| Drilling Capacity (MT3) ø                    | mm  | 32 max. |
| Maximum Stroke                               | mm  | 315     |
| Working Stroke                               | mm  | 110     |
| Full Load Revolutions                        | rpm | 270     |
| Minimum Thickness of MS Plate can be Drilled | mm  | 10      |
| Net Weight                                   | kg  | 39      |



### GD60 Drill Stand

Suitable for HD1115, KW8, KW 10  
Net Weight           kg           28



### GD70 Drill Stand

Suitable for GD25, HD16  
Net Weight           kg           13.9



### KMS95RT Magnetic Drill Stand

Suitable for HD1115, KW8, KW 10  
Magnetic Holding Performance   N           12000  
Clamping Stud Threads           UNS   1-1/16" x 14  
Maximum Stroke (w /o Drill)   mm   300  
Net Weight                           kg           35.0





### SPD6 6mm Plain Drill

#### Drilling Capacity ø

|               |     |      |
|---------------|-----|------|
| In Aluminium  | mm  | 10   |
| In Wood       | mm  | 15   |
| In Steel      | mm  | 6    |
| No Load Speed | rpm | 2600 |
| Power Input   | W   | 350  |
| Net Weight    | kg  | 1.25 |



### SPD6RE 6mm Plain Drill

#### Drilling Capacity ø

|               |     |        |
|---------------|-----|--------|
| In Aluminium  | mm  | 10     |
| In Wood       | mm  | 15     |
| In Steel      | mm  | 6      |
| No Load Speed | rpm | 0-3500 |
| Power Input   | W   | 350    |
| Net Weight    | kg  | 1.1    |



### SPD10 10mm Plain Drill

#### Drilling Capacity ø


|               |     |      |
|---------------|-----|------|
| In Aluminium  | mm  | 13   |
| In Wood       | mm  | 25   |
| In Steel      | mm  | 10   |
| No Load Speed | rpm | 1400 |
| Power Input   | W   | 600  |
| Net Weight    | kg  | 2.1  |



### SPD10RE 10mm Plain Drill

#### Drilling Capacity ø

|               |     |        |
|---------------|-----|--------|
| In Aluminium  | mm  | 13     |
| In Wood       | mm  | 25     |
| In Steel      | mm  | 10     |
| No Load Speed | rpm | 0-3300 |
| Power Input   | W   | 350    |
| Net Weight    | kg  | 1.1    |



### SID10 10mm Impact Drill

Drilling Capacity ø

|               |     |      |
|---------------|-----|------|
| In Concrete   | mm  | 10   |
| In Wood       | mm  | 19   |
| In Steel      | mm  | 8    |
| No Load Speed | rpm | 1800 |
| Power Input   | W   | 600  |
| Net Weight    | kg  | 2.1  |



### SID13 13mm Impact Drill

Drilling Capacity ø

|               |     |      |
|---------------|-----|------|
| In Concrete   | mm  | 13   |
| In Wood       | mm  | 25   |
| In Steel      | mm  | 10   |
| No Load Speed | rpm | 1800 |
| Power Input   | W   | 600  |
| Net Weight    | kg  | 2.2  |



### SID13RE 13mm Impact Drill

Drilling Capacity ø

|               |     |        |
|---------------|-----|--------|
| In Concrete   | mm  | 13     |
| In Wood       | mm  | 25     |
| In Steel      | mm  | 10     |
| Power Input   | W   | 600    |
| No Load Speed | rpm | 0-2500 |
| Net Weight    | kg  | 1.8    |



Forward Reverse  
& Variable Speed

